Wednesday, 11/21/2007 12:51:45 PM Kim Johnston User · Process Sheet : CABIN FLOOR PROTECTOR : CU-DAR001 Dart Helicopters Services **Drawing Name** Customer Job Number : 35950 : 12972 **Estimate Number** : D35756 : NA **Part Number** P.O. Number S.O. No. : H)~ · D3575 REV.A : 11/21/2007 **Drawing Number** This Issue : N/A Prsht Rev. : NC Project Number : NA : SMALL /MED FAB **Drawing Revision** Type First Issue : 35092 Material Previous Run : 11/28/2007 Qty: 4 Um: Each Due Date Written By Checked & Approved By EC verified by:JLM New Issue 07.07.23 Comment **Additional Product** Job Number: Description: Seq. #: Machine Or Operation: 1.0 F60029 lexan grey Comment: Qty.: 42.6640 sf(s) Total: 10.6660 sf(s)/Unit F60029 lexan sheet Batch: 10533 WATER JET 2.0 Comment: FLOW WATER JET 1-Cut as per Dwg D3575 B 07-11-D2 Dwg Rev:\_ Prog Rev:\_\_\_ 2-Deburr if necessary INSPECT PARTS AS THEY COME OFF MACHINE 3.0 QC2 07-11-22 Comment: INSPECT PARTS AS THEY COME OFF MACHINE 4.0 SECOND CHECK QC8 Comment: SECOND CHECK SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1 5.0 Comment: SMALL & MEDIUM FAB RESOURCE 1 Deburr if necessary.

### **Dart Aerospace Ltd**

Dail A	TOSPACE L	.tu						
W/O:			W	ORK ORDER CHANGE	S			
DATE	STEP	PROCEDURE CHANGE			Ву	Date Q	ty Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #:	Fault Cate	gory:	NCR: Yes	No DQA:	Date: 5	7/11/27
					QA: N	/C Closed: _	Date: _	
NCR:		1	WORK ORD	ER NON-CONFORMAN	NCE (NCR	.)		
DATE	0	Description of NC	Description of NC Corrective Action Section			Verification	n Approval	Approval
	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	1 .	QC Inspector
	i l	•	1		ı			

NCR:		WORK ORDER NON-CONFORMANCE (NCK)								
DATE	STEP	Description of NC		Corrective Action Section B	Verification	Ammerical	Ammercal			
		Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector		
		•								
			1							
							<u> </u>			
						i	[			


NOTE: Date & initial all entries

Wednesday, 11/21/2007 12:51:45 PM Date: User: Kim Johnston **Process Sheet** Drawing Name: CABIN FLOOR PROTECTOR Customer: CU-DAR001 Dart Helicopters Services Job Number: 35950 Part Number: D35756 Job Number: Description: Seq. #: **Machine Or Operation:** INSPECT WORK TO CURRENT STEP 6.0 QC5 Comment: INSPECT WORK TO CURRENT STEP PACKAGING RESOURCE #1 7.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify with P/N and B/N using a permaperatine point marker, then Stock. Location: QC21 8.0 Comment: FINAL INSPECTION/W/O RELEASE U Hill. 26 Job Completion


Dart Ae	rospace L	.td							
W/O:		**************************************	W	ORK ORDER CHANGES	- · · · <u>- · · · · · · · · · · · · · · ·</u>				
DATE	STEP	PROCEDURE CHANGE				Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
-									
•						· · · · · · · · · · · · · · · · · · ·	1		
Part No	:	PAR #:	_ Fault Cate	gory: NC					
					QA: N	I/C Close	d:	_ Date: _	·
NCR:		W	ORK ORD	ER NON-CONFORMANCE	E (NCF	<b>?</b> )			
		Description of NC		Corrective Action Section B		Verific	ation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign 8 Date	Secti		Chief Eng	QC Inspector
					i				
					•				

NOTE: Date & initial all entries





WITHOUT NOTICE



D3575-1 CABIN FLOOR PROTECTOR (SHOWN) D3575-2 CABIN FLOOR PROTECTOR (OPPOSITE)

NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-1/-2" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8966


Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED.

OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







## D3575-3 CABIN FLOOR PROTECTOR

SUBJECT TO AMENDMEN WITHOUT NOTICE


#### NOTES:


- WORK ORDER 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-3" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8967

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3575-4 CABIN FLOOR PROTECTOR

RETURN TO ENGINEERING UNCONTROLLED COPY

SUBJECT TO AMENDMENT

NO.

NOTES:

1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THIGKTHOUT NOTICE WORK ORDER TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)

2) FINISH: NONE


3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED


- 4) IDENTIFY WITH DART P/N "D3575-4" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8968

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







D3575-5 CABIN FLOOR PROTECTOR (SHOWN) D3575-6 CABIN FLOOR PROTECTOR (OPPOSITE) UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

WORK OBDER

#### NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK; TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-5/-6" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8969

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROSPACE LTD	Work Order:	35950	
Description: CABIN FLOOR PROTECTOR	Part Number:	D3575-6	
Inspection Dwg: D3\$7\$-6 Rev: A		Page 1 of 1	

# FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø.3.00	1000-0001	3,608	Æ			
3,38	4030	3.38	<b>X</b>			
6.50	4- 020	6.50	丛			,
26.13	4030	26.13	JK.			,
	1030	30.13	<b>X</b>			٤
	1- 030		*			
	4030	3,50	*			
	1030	14.25	*			
	4030	25.13	*			
	4020	24.38	K			
	4- 1030	30.38	K			
31.50	4030	31.50	¥			
	4036	1.00	સ			
	4- ,030	4.38	· kc			
	+/030	14.50	<b>3</b> &			
	4030	16.00	K			
	4- 030	23.13	*			
	1-030	26.68	*			
	1020		*			-
	1030	32.15	×			
	.030	do. 86	yę.			
16.13	030		<b>×</b> 4			
9.63	1- 030	7 (3	*			
1.00 7	1030				<del></del>	

Measured by: B.
Date: 67-11-22

Audited by: Date: Alul27

Prototype Approval:

Date:

Rev Date	Change	Revised by	Approved
_ A	New Issue	KJ/JLM	Approved

